

Safety Data Sheet

Supersedes Date 10/25/2013

Issuing Date 06/19/2015

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name SPECTRA XTREME 15W40 CJ-4
Recommended use Lubricant
Information on Manufacturer
CERTIFIED LABS, DIV. OF NCH CORP.
BOX 152170
IRVING, TEXAS 75015

Product Code J126
Chemical nature Hydrocarbons Mixture
Emergency Telephone Number
CHEMTREC® 800-424-9300
Telephone inquiry
972-579-2477

2. HAZARD IDENTIFICATION

Color Dark green

Physical state liquid

Odor Fish

GHS

Classification

Physical Hazards

None

Health Hazard

Serious Eye Damage/Eye Irritation

Category 2B

Other hazards

None

Labeling

Signal Word

WARNING

Hazard statements

H320 - Causes eye irritation

Precautionary Statements

P264 - Wash face, hands and any exposed skin thoroughly after handling
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes.
Remove contact lenses, if present and easy to do. Continue rinsing
P337 + P313 - If eye irritation persists, get medical attention.

10 % of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION / INFORMATION ON INGREDIENTS

Component	CAS No.	Weight %
Petroleum distillates, hydrotreated heavy paraffinic (<3% DMSO extractable)	64742-54-7	60-100
Petroleum distillates, solvent dewaxed heavy paraffinic (<3% DMSO extractable)	64742-65-0	3-7
Ethylene-Propylene polymer	9010-79-1	1-5
Petroleum distillates, solvent-refined light paraffinic (<3% DMSO extractable)	64741-89-5	1-5
Magnesium long chain alkaryl sulphonate	252312-98-4	1-5
Long Chain Alkaryl Amine	36878-20-3	1-5
Polybutene	9003-29-6	1-5
Polyolefin amide alkeneamine borate	84605-20-9	1-5
Phosphorodithiolic acid, mixed O, O-bis(sec-Bu and isoctyl) esters, zinc salts	113706-15-3	1-5

4. FIRST AID MEASURES

General advice

Avoid contact with skin, eyes and clothing.

Eye Contact

Rinse thoroughly with plenty of water, also under the eyelids. Get medical attention if irritation develops and persists.

Skin Contact

Wash off with soap and plenty of water. Get medical attention if irritation develops and persists.

Inhalation

If inhaled, remove to fresh air. Get medical attention if symptoms occur.

Ingestion Drink 1 or 2 glasses of water. Do NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth.
Notes to physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Flash Point > 400 °F / > 204 °C **Method** ASTM D-92
Flammability Limits in Air %: Not applicable. **Upper:** No data available **Lower:** No data available
Suitable Extinguishing Media
 Carbon dioxide (CO₂). Dry chemical. Water spray. Foam. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Specific hazards arising from the chemical
 Material can create slippery conditions.
Protective Equipment and Precautions for Firefighters
 As in any fire, wear self-contained breathing apparatus pressure-demand, NOHSC (approved or equivalent) and full protective gear.
NFPA **Health** 1 **Flammability** 1 **Instability** 0
HMIS **Health** 1 **Flammability** 1 **Instability** 0

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions Use personal protective equipment. Prevent further leakage or spillage if safe to do so. Material can create slippery conditions.
Environmental Precautions Do not flush into surface water or sanitary sewer system.
Methods for Containment Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).
Methods for Cleaning Up Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Neutralizing Agent Not applicable.

7. HANDLING AND STORAGE

Handling Avoid contact with skin, eyes and clothing.
Storage Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place.
Storage Temperature **Minimum** 0 °F / -18 °C **Maximum** 120 °F / 49 °C
Storage Conditions **Indoor** X **Outdoor** X **Heated** **Refrigerated**

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH
Petroleum distillates, hydrotreated heavy paraffinic (<3% DMSO extractable)	TWA: 5 mg/m ³ STEL: 10 mg/m ³	TWA: 5 mg/m ³	No data available
Petroleum distillates, solvent dewaxed heavy paraffinic (<3% DMSO extractable)	TWA: 5 mg/m ³ STEL: 10 mg/m ³	TWA: 5 mg/m ³	No data available
Petroleum distillates, solvent-refined light paraffinic (<3% DMSO extractable)	TWA: 5 mg/m ³ STES: 10 mg/m ³	TWA: 5 mg/m ³	No data available
Polybutene	5 mg/m ³ as oil mist	10 mg/m ³ as oil mist	No data available

Engineering Measures Ensure adequate ventilation, especially in confined areas. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction.
Personal Protective Equipment
Eye/Face Protection Safety glasses with side-shields.
Skin Protection For prolonged or repeated contact, use protective gloves with appropriate chemical resistance.
Respiratory Protection In case of inadequate ventilation wear respiratory protection. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
General Hygiene Considerations Ensure that eyewash stations and safety showers are close to the workstation location. Remove and wash contaminated clothing before re-use.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	liquid	Viscosity	Semi-viscous
Color	Dark green	Odor	Fish
Odor Threshold	Not applicable	Appearance	Transparent
pH	Not applicable	Specific Gravity	0.859
Evaporation Rate	No data available	Percent Volatile (Volume)	0
VOC Content (%)	0.9	VOC Content (g/L)	0

Vapor Pressure	<0.1mmHg @ 70 F	Vapor Density	4.7 (Air = 1.0)
Solubility	Negligible	n-Octanol/Water Partition	No data available
Melting Point/Range	No data available	Decomposition Temperature	No data available
Boiling Point/Range	No data available	Flammability (solid, gas)	No data available
Flash Point	> 400 °F / > 204 °C	Method	ASTM D-92
Autoignition Temperature	No information available.		
Flammability Limits in Air %:	Not applicable	Upper: No data available	Lower: No data available

10. STABILITY AND REACTIVITY

Chemical Stability	Stable. Hazardous polymerization does not occur.
Conditions to Avoid	None known.
Incompatible Products	Strong oxidizing agents.
Decomposition Temperature	No data available
Hazardous Decomposition Products	Carbon oxides.
Possibility of Hazardous Reactions	None under normal processing.

11. TOXICOLOGICAL INFORMATION

Product Information No information available.

The following values are calculated based on chapter 3.1 of the GHS document

Oral LD50	No information available
Dermal LD50	No information available
Inhalation LC50	
Gas	No information available
Mist	No information available
Vapor	No information available

Principle Route of Exposure Skin contact, Eye contact.
Primary Routes of Entry Eye contact.

Acute Effects:

Eyes May cause eye irritation.
Skin May cause skin irritation.

Inhalation Low hazard for usual industrial or commercial handling.

Ingestion Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Chronic Toxicity

Target Organ Effects Prolonged skin contact may defat the skin and produce dermatitis.

Aggravated Medical Conditions Heart, Liver, Lungs, and Kidneys.

Aggravated Medical Conditions Skin disorders, Liver disorders, Kidney disorders, Respiratory disorders.

Component Information

Acute Toxicity

Component	Oral LD50	Dermal LD50	Inhalation LC50	Draize Test	Other
Petroleum distillates, hydrotreated heavy paraffinic (<3% DMSO extractable)	> 5000 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	no data available	no data available	no data available
Petroleum distillates, solvent dewaxed heavy paraffinic (<3% DMSO extractable)	>5000 mg/kg (rat)	>5000 mg/kg (rabbit)	no data available	no data available	no data available
Petroleum distillates, solvent-refined light paraffinic (<3% DMSO extractable)	> 5000 mg/kg (Rat)	> 5 g/kg (Rabbit)	= 2.18 mg/L (Rat) 4 h	no data available	no data available
Long Chain Alkaryl Amine	> 5000 mg/kg (Rat)	no data available	no data available	no data available	no data available

Component	Mutagenicity	Sensitization	Developmental Toxicity	Reproductive Toxicity	Target Organ Effects
Polybutene	no data available	no data available	no data available	no data available	Heart, liver, kidney, lung

Carcinogenicity Contains no ingredient listed as a carcinogen.

12. ECOLOGICAL INFORMATION

Product Information No information available.

Component Information

Component	Toxicity to Algae	Toxicity to Fish	Microtox	Crustacea	log Pow
Petroleum distillates, hydrotreated heavy paraffinic (<3% DMSO extractable)	No information available.	LC50 > 5000 mg/L Oncorhynchus mykiss 96 h	No information available	1000: 48 h Daphnia magna mg/L EC50	N/A
Petroleum distillates, solvent dewaxed heavy paraffinic (<3% DMSO extractable)	No information available.	LC50 > 5000 mg/L Oncorhynchus mykiss 96 h	No information available	1000: 48 h Daphnia magna mg/L EC50	N/A

Petroleum distillates, solvent-refined light paraffinic (<3% DMSO extractable)	No information available.	LC50 > 5000 mg/L Oncorhynchus mykiss 96 h	No information available	1000: 48 h Daphnia magna mg/L EC50	N/A
Long Chain Alkaryl Amine	No information available.	LC50 > 1000 mg/L Pimephales promelas 96 h	No information available	No information available.	N/A

Persistence and Degradability No information available.
 Bioaccumulation No information available.
 Mobility No information available.

13. DISPOSAL CONSIDERATIONS

Product Disposal Dispose of in accordance with local regulations.
 Container Disposal Empty containers should be taken for local recycling, recovery, or waste disposal.

14. TRANSPORT INFORMATION

DOT Not regulated
 TDG Not regulated
 ICAO Not regulated
 IATA Not regulated
 IMDG/IMO Not regulated

15. REGULATORY INFORMATION

Inventories

TSCA Complies
 DSL Complies

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Component	CAS No.	Weight %	SARA 313 - Threshold Values
Phosphorodithiotic acid, mixed O, O-bis(sec-Bu and isooctyl) esters, zinc salts	113706-15-3	1-5	1.0

SARA 311/312 Hazardous Categorization

Acute Health Hazard	Chronic Health Hazard	Fire Hazard	Sudden Release of Pressure Hazard	Reactive Hazard
Yes	No	No	No	No

CERCLA

16. OTHER INFORMATION

Prepared By Muneerah Travis
 Supersedes Date 10/25/2013
 Issuing Date 06/19/2015
 Reason for Revision No information available.
 Glossary No information available.
 List of References. No information available.

CERTIFIED LABS, DIV. OF NCH CORP. assumes no responsibility for personal injury or property damage caused by the use, storage, or disposal of the product in a manner not recommended on the product label. Users assume all risks associated with such unrecommended use, storage or disposal of the product. The information provided on this document is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.