

CANBERRA CORP -- WAXIE TRAFFIC SIGNAL BOWL CLEANER, 030111 -- 6850-00N065921

===== Product Identification =====

Product ID:WAXIE TRAFFIC SIGNAL BOWL CLEANER, 030111

MSDS Date:05/01/1993

FSC:6850

NIIN:00N065921

MSDS Number: BZMLN

=== Responsible Party ===

Company Name:CANBERRA CORP

Address:3610 HOLLAND-SYLVANIA RD

City:TOLEDO

State:OH

ZIP:43615

Country:US

Info Phone Num:419-841-6616

Emergency Phone Num:800-255-3924

Preparer's Name:RANDY HAMMOND

CAGE:CANBE

=== Contractor Identification ===

Company Name:CANBERRA CORPORATION

Address:3610 HOLLAND-SYLVANIA RD

Box:City:TOLEDO

State:OH

ZIP:43615

Country:US

Phone:419-841-6616

CAGE:CANBE

Company Name:WAXIE'S ENTERPRISES INC

Address:5775 RUFFIN RD

Box:City:SAN DIEGO

State:CA

ZIP:92123

Country:US

Phone:619-292-8100

CAGE:1T674

===== Composition/Information on Ingredients =====

Ingred Name:N-ALKYL DIMETHYLBENZYL AMMONIUM CHLORIDE

CAS:68391-01-5

Fraction by Wt: 0.05%

OSHA PEL:N/K

ACGIH TLV:N/K

Ingred Name:ETHYLBENZENE AMMONIUM CHLORIDE

CAS:68956-79-6

Fraction by Wt: 0.05%

OSHA PEL:N/K

ACGIH TLV:N/K

Ingred Name:HYDROCHLORIC ACID; (HYDROGEN CHLORIDE) (SARA 302/313)
(CERCLA)

CAS:7647-01-0

RTECS #:MW4025000

Fraction by Wt: 9.50%

OSHA PEL:C 5 PPM

ACGIH TLV:C 5 PPM

EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

===== Hazards Identification =====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.
Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACUTE: RAPIDLY CAUSES CHEMICAL BURNS
TO SKIN AND EYES. MAY CAUSE PERMANENT DAMAGE. IRRITATION, BURNING
OF SKIN, MUCOUS MEMBRANES AND RESPIRATORY SYSTEM. CORROSIVE ACTION
ON CONTACTED SURFACE. CHRONIC: NO INFORMATION ON CHRONIC HEALTH
HAZARD IS CURRENTLY AVAILABLE.
Explanation of Carcinogenicity:NOT RELEVANT.
Effects of Overexposure:SEE HEALTH HAZARDS.
Medical Cond Aggravated by Exposure:PERSONS WITH RESPIRATORY AILMENTS
MAY FIND THOSE CONDITIONS AGGRAVATED DURING PERSONAL USE OF THIS
PRODUCT.

===== First Aid Measures =====

First Aid:EYES: IMMEDIATELY FLUSH W/PLENTY OF WATER FOR AT LEAST 15
MINUTES. GET MEDICAL ATTENTION. SKIN: FLUSH IMMEDIATELY W/COOL
WATER. WASH W/SOAP AND WATER. REMOVE CONTAMINATED CLOTHING.
INHALATION: REMOVE TO FRESH AIR. GET MEDICAL ATTENTION. INGESTION:
DO NOT INDUCE VOMITING. GIVE MILK, WATER OR EGG WHITES, AND GET
MEDICAL ATTENTION IMMEDIATELY. NEVER GIVE ANYTHING BY MOUTH TO
UNCON PERSON. KEEP WARM.

===== Fire Fighting Measures =====

Flash Point:NONE
Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, DRY CHEMICAL.
Fire Fighting Procedures:WEAR NIOSH/MSHA APPROVED SCBA & FULL
PROTECTIVE EQUIPMENT . USE WATER SPRAY TO COOL CONTAINERS AND
CONTROL VAPORS.
Unusual Fire/Explosion Hazard:RELEASE OF CORR HYDROGEN CHLORIDE GAS MAY
RSLT AT ELEVATED TEMPS. REACTS W/OXIDIZERS, CYANIDES & SULFIDES TO
FORM POIS GAS. REACTS W/MOST METALS TO (SUP DAT)

===== Accidental Release Measures =====

Spill Release Procedures:WEAR FULL PERSONAL PROTECTIVE EQUIPMENT.
VENTILATE AREA TO DISSIPATE FUMES. CONTAIN SPILL AND COLLECT IN
APPROVED CONTAINER. RINSE WITH DILUTE BICARBONATE SOLUTION TO
NEUTRALIZE RESIDUE.
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:KEEP OUT OF REACH OF CHILDREN. AVOID
CONTACT WITH SKIN AND EYES. AVOID BREATHING OF VAPOR. KEEP
CONTAINER CLOSED WHEN NOT IN USE.
Other Precautions:USE WITH TOILET BOWL MOP OR APPLICATOR. USE ONLY
ACCORDING TO LABEL DIRECTIONS. DO NOT MIX WITH OTHER CHEMICALS.
WEAR RECOMMENDED PROTECTIVE EQUIPMENT. STORE IN COOL PLACE.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:WHERE REQUIRED TO MAINTAIN EXPOSURE LEVELS BELOW

APPLICABLE LIMITS, USE A NIOSH/MSHA APPROVED RESPIRATOR FOR
HYDROGEN CHLORINE GAS OR MISTS, AS APPLICABLE.

Ventilation:ADEQUATE TO MAINTAIN TLV.

Protective Gloves:RUBBER GLOVES.

Eye Protection:ANSI APPROVED CHEMICAL WORKERS (SUP DAT)

Other Protective Equipment:RUBBER APRON, BOOTS, & LONG SLEEVES
RECOMMENDED. EMERGENCY EYEWASH & DELUGE SHOWER MEETING ANSI DESIGN
CRITERIA .

Work Hygienic Practices:GOOD HOUSEKEEPING PRACTICES APPLY. WASH
THOROUGHLY AFTER HANDLING.

Supplemental Safety and Health

EXPLO HAZ: FORM POTENTIALLY EXPLO HYDROGEN GAS. EYE PROT: GOGGLES AND
FULL LENGTH FACESHIELD .

===== Physical/Chemical Properties =====

Spec Gravity:1.05

Solubility in Water:COMPLETE

Appearance and Odor:RED TO GREEN COLOR, WITH SASSAFRAS ODOR

Percent Volatiles by Volume:>95

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

CHLORINE BLEACH. DO NOT MIX WITH OTHER CHEMICALS.

Stability Condition to Avoid:CONTACT WITH LIGHT METALS MAY GENERATE
HYDROGEN GAS.

Hazardous Decomposition Products:CHLORINE GAS, HYDROGEN GAS, HYDROGEN
CHLORINE GAS.

===== Disposal Considerations =====

Waste Disposal Methods:FORWARD WASTE MATERIAL TO FEDERALLY LICENSED
HAZARDOUS WASTE TREATMENT FACILITY. DISPOSE OF I/A/W FEDERAL,
STATE, AND LOCAL REGULATIONS. TRIPLE RINSE CONTAINER, WRAP AND
DISCARD IN TRASH, OR FOR LARGE CONTAINERS, TRIPLE RINSE AND OFFER
FORRECYCLING.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.